

We provide your solutions

CDQ-4S,3S,2S



CDQ SERIES



VARIOUS LEVEL SENSORS & CONTROLLERS FOR YOUR APPLICATIONS




가 ()
470-8
: 02-6111-8989 FAX: 02-6111-8187
e-mail : cdi@cdikorea.com
Web : www.cdikorea.com

1104-1106

We provide your solutions

CDQ-4S,3S,2S



- CDI-LCQ4P : 5-wire, On&Off, H/A and L/A
- CDI-LCQ3P : 4-wire, On&Off, H/A or L/A
- CDI-LCQ2P : 3-wire, On&Off
- CDI-2M : 5-wire, Motor Step Control
- CDI-2RM : 5-wire Motor Step/Switching Control
- CDI-2W2RM : 2-wire Motor Step/Switching Control

	<p>()</p> <p>-10°C to +60°C</p> <p>Max. 2 bar</p> <p>-10°C to +60°C</p> <p>4m (Max. 20m Option)</p> <p>0.4-3.6m (0.4-19m Opt.)</p>
--	---


	<p>2" ()</p> <p>JIS 10K 80A</p> <p>JIS 10K 100A</p> <p>:</p> <p>RATING</p>
--	---

<p>()</p> <p>()</p>	<p>Polycarbonate</p> <p>PVC</p> <p>Polyethylene 6 x 4m</p> <p>ABS</p> <p>PVC 0.75V CT x 3 core</p> <p>PVC</p> <p>ABS (1.5 kg)</p>
-----------------------	---

	<p>IP65 (NEMA4X)</p> <p>Water-Proof</p> <p>0.75 VCT x 3 core (O.D 8.1)</p> <p>Thread PF1/2</p> <p>220V AC, 200V DC</p> <p>AC250V 5A/ 1 SPDT</p>
--	---

We provide your solutions

CDQ-4S,3S,2S



CDQ

()	CDQ-
5 , 4	4S
4 , 3	3S
3 , 2	2S
2 , 4	2W4S
2 , 3	2W3S
2 , 2	2W2S
()	
JIS 10K 80A	F3
JIS 10K 100A	F4
2"	S2
(4m)	4m
NO or NC	NO

CDQ-4S-F4-4m-NO